# GEAR UP YOUR WORKSHOP Rell & Winter 2016 2017





NEW

NEW



#### 1200 CFM DUST COLLECTOR

KC-3105C • 1200 CFM air suction

capacity
• Comes with wheel castors for portability

KING

#### 1200 CFM **DUST COLLECTOR** WITH CANISTER FILTER

KC-3105C/KDCF-3500
• Noise level reading at 36": 66-77 Db
• Static pressure (inch of water): 9.5

KING

KING

12 Amp. @ 110V 6 Amp. @ 220V

• Dust port opening: 2 x 4" / 1 x 6"



#### 1400 CFM INDUSTRIAL AIR CLEANER WITH REMOTE CONTROL

KAC-1400

- High-output CFM Industrial Air Cleaner quietly improves the air quality of your workshop at 3 speed requirements (950, 1085, 1400 CFM)
  2 stage filtration, one disposable 5 micron outer filter and 1 micron inner three pocket filter

  LED filter change indicator light on control panel notifies user when filters need to be cleaned or replaced

  3 amp. motor



#### **6" BENCHTOP JOINTER WITH HELICAL CUTTERHEAD**

- Helical cutterhead for a superior finish
  2-1/2" dust chute for dust collector hook-up
  Comes 2 safety push blocks, cutter insert adjustment Torx key and adjustment hex. keys



Replacement Helical cutter insert kit (10 pcs) \$69.99 KW-204

KING

13" PLANER WITH HELICAL **CUTTERHEAD** 

KC-13HPC

 Powerful 15 Amp. motor with thermal overload protection

 Pre-set depth stops for repeat cuts at 1/8", 1/4", 1/2", 3/4", 1" 1-1/4", 1-1/2"

Comes with convenient side

and 1-3/4"

#### 10" CABINET SAWS WITH RIVING KNIFE BLADE GUARD SYSTEM

Table has "T" slots for miter gauge and beveled front edge
Comes with riving knife, industrial "Tru-Rip" T-square rip fence

112" WOOD CUTTING BANDSAW BLADES

Length Width TPI Thickness Price 1/4" 6 .025"

3/8" 6 .025' 1/2" 4 .025

3/4" 3 .025

- system for precison cuts, miter gauge, standard and dado inserts
- Large 8" diameter chromed

KBB-1538-6 112"

KC-10JCS/J30

For KC-1502FXB

OPTIONAL RU-RIP **OPTIONAL Industrial Rip Melamine Extension** Table Kit Fence systems EXT-5052

Comes with 2 support legs Fits: KC-10JCS, KC-24FXT

KRF-J30 30" RIF KRF-J52 52" RIP RĬP

cover with built-in dust collection to maximize

HEAVY-DUTY UNIVERSAL mobile base FOR TABLE



# WOOD BANDSAWS

HO-HMETEL

Sm4

CH E

P

Blade

KING

23 1/2"x(17" cast iron table Tilts 5° to the left & 45° to the right

#### 17" WOOD BANDSAW KC-1702FXB

- 2 speeds (1600/3300) SFPM Rack and pinion height adjustment system
- Miter gauge system

17" x 17" cast iron table

16Amp. @ 110V 8 Amp. @ 220V Pre-wired to 110V

699

2-4"

dust

chutes

#### 131 5/8" WOOD CUTTING BANDSAW BLADES

Model	Length	Width	TPI	Thickness	Price
KBB-1714-6	131 5/8"	1/4"	6	.025"	\$22.99
KBB-1738-6	131 5/8"	3/8"	6	.025"	\$22.99
KBB-1712-4	131 5/8"	1/2"	4	.025"	\$22.99
KBB-1734-3	131 5/8"	3/4"	3	.025"	\$29.99
KBB-1710-2	131 5/8"	1"	2	.032"	\$29.99



KING

- 2 speeds (1890/3800) SFPM
- Rack and pinion
- height adjustment system
- Miter gauge system

21" x 21" cast iron table

16Amp. @ 110V 8 Amp. @ 220V Pre-wired to 220V

152 1/8" WOOD CUTTING BANDSAW BLADES						
Model	Length	Width	TPI	Thickness	Price	
KBB-2114-6	152 1/8"	1/4"	6	.025"	\$29.99	
KBB-2138-6	152 1/8"	3/8"	6	.025"	\$29.99	
KBB-2112-4	152 1/8"	1/2"	4	.025"	\$29.99	
KBB-2134-3	152 1/8"	3/4"	3	.032"	\$35.99	
KBB-2110-2	152 1/8"	1"	2	032"	\$35.99	



#### 17/// **VARIABLE SPEED** WOOD/METAL **CUTTING BANDSAW**

KC-1700WM-VS

- Variable speeds (wood) 540-3600 SFPM

- 540-3600 SFPM

   Variable speeds (metal): 100-650 SFPM

   Voltage (input power): 220V, 1 phase, 60 Hz

   2-4" Dust chutes for dust collector hook-up

   Comes with a 1/2" x 6 TPI wood cutting blade, 1/2" x 10 TPI metal cutting blade, laser guide, work lamp, miter gauge and a work lamp, miter gauge and a precision "TRU-RIP" aluminum rip fence with resaw guide

2 HP (8 Amp @ 220V)



14/ **WOOD CUTTING BANDSAW WITH RIP FENCE AND RESAW GUIDE** 

KC-1433FXR

- 10 amp. motor 14" x 14" cast iron table
- 3 speeds (735-1470- 2350 FPM)

RIP FENCE SYSTEM WITH RESAW GUIDE RF-1433R

With the purchase of # KC-1433FXR



**BONUS** 

KING



93" WOOD CUTTING BANDSAW BLADES						
(б) киз самов	Model	Length	Width	TPI	Thickness	Price
93	KBB-1418-14	93"	1/8"	14	.025"	\$19.99
	KBB-1414-6	93"	1/4"	6	.025"	\$19.99
	KBB-1436-10	93"	3/16"	10	.025"	\$19.99
1 3 4 3	KBB-1438-6	93"	3/8"	6	.025"	\$19.99
	KBB-1412-6	93"	1/2"	6	.025"	\$19.99
	KBB-1412-8	93"	1/2"	8	.025"	\$19.99
	KBB-1434-4	93"	3/4"	4	.025"	\$19.99

RISER BLOCK KIT

KW-049


**S89**.99

105" RISER BLOCK BLADES						
Model	Width	TPI	Thickness	Price		
KBB-10514-6	1/4"	6	.025"	\$24.99		
KBB-10538-6	3/8"	6	.025"	\$24.99		
KBB-10512-4	1/2"	4	.025"	\$24.99		

NEOPRENE WHEEL PROTECTOR FOR 14" WOOD BANDSAWS \$17.99 KW-094









# KC-385FX KC-520C

#### **ANERS**

#### 15" PLANER

- 3 HP motor
- 8" max planing thickness
  Includes cabinet stand, planing knives, knife setting gauge and 4' dust collector outlet







KING

#### 15" PLANER **WITH SPIRAL CUTTERHEAD**

#### KC-390FX

- Powerful 3 HP motor
- A spiral cutterhead makes 50% less noise than a conventional cutterhead
- · Anti-kickback fingers in front of the infeed roller to prevent wood kickback

  Magnetic safety switch
- Comes complete with cabinet stand and 4" dust collector outlet

4 Row spiral cutterhead with 64 replaceable cutter inserts



- Powerful 3 HP 19 amp 220V motor
- A spiral cutterhead makes 50% less noise than a conventional cutterhead
- Anti-kickback fingers in front of the infeed roller to prevent wood kickback
- Comes with 5" dust chute for dust collector hook-up

cutterhead with 92 replaceable utter inserts



#### 15" PLANER

#### KC-382CFX

- 3 HP motor
- 6" max planing thickness2 speed autofeed
- Includes cabinet stand planing knife, setting gauge and 4" dust collector outlet







#### 20" HEAVY-DUTY **PLANER**

- 3 HP (220V) motor104-83 cuts per inch
- 2 speeds(16-20 FPM)
- 4 knife cutterhead
- 8" max. planing thickness





#### EXTENDABLE & FLEXIBLE CONVEYOR ROLLER TABLE

#### KRRS-109

- Extends from 19" to 52"
- Raises from 24" to 39"300 Lbs. max. capacity

#### **FOLDING ROLLER STAND** KRS-102

- Stand height is
- adjustable from 27" to 44"
   11-3/4" Roller
- Folds flat for

# 3 in 1 FOLDING ROLLER STAND KRS-108 • Easily change from a roller, omni-ideractional or a flat support

• Stand height is adjustable from 27" to 44"
• 11-3/4" Roller



#### 10 PC. CARBIDE CUTTER INSERT KITS

#### KW-093

- Carbide inserts cut on all 4 sides
- Cutter size: 14.7mm x 14.7mm x 2mm Fits: KC-75FX, KC-85FX, KC-125FX,



**BUILT-IN** 

MOBILE BASE

KW-104

Carbide inserts cut on all 4 sides • Cutter size: 15mm x 15mm x 2.5mm









#### OSCILLATING EDGE SANDERS & ACCESSORIES 6" x 89" OSCILLATING EDGE SANDER 6"x 108" SANDING BELTS $6'' \times 108''$ EDGE SANDER CT-108C 2 HP motor Table size: Front 37" x 7 3/4", Side 19" x 12" Fully tilting front table KC-689-OSC-7 Belt Size | Grit | Unit Price Sturdy cabinet stand4" Dust chute **6B-6108-80** 6" x 108" 80 1 • 4" Dust chute SB-6108-100 6" x 108" 100 1 Quick belt release Magnetic safety switch lever **08-120** 6" x 108" | 120 | 1 · Comes with miter gauge, table guide and end table 6"x 89" SANDING BELTS Belt Size Grit Unit Price . Model 6" x 89" | 60 **B-689-80** 6" x 89" 80 1 6" x 89" | 100 | 1 KING -689-120 | 6" x 89" | 120 | 1 End table allows curved 日 sanding operations KING -

\$2099.



Belt Size Grit Unit Price

\$\frac{5\text{F}\sigma \text{10}^{\text{}}}{5\text{F}\sigma \text{10}^{\text{}}} \text{80} \quad \text{1} \quad \text{\$\frac{\$\frac{1}{9}\text{.99}}}{\text{\$\frac{5\text{\$\frac{1}{2}\text{\$\frac{1}{9}\text{.99}}}{\text{\$\frac{1}{2}\text{\$\frac{1}{9}\text{.99}}}} \text{\$\frac{5\text{\$\text{\$\frac{1}{9}\text{.99}}}{\text{\$\frac{1}{9}\text{.99}}} \text{\$\frac{5\text{\$\frac{1}{9}\text{.99}}{\text{\$\frac{1}{9}\text{.99}}} \text{\$\frac{1}{9}\text{.99}} \text



K-1034-50

HOSE KIT K-1054 KIT Indules:

4" X 10 FT.
DUST COLLECTION

REMOTE POWER CONTROL SYSTEMS

99 Minute Timer

...

RC-110 (110V)

\$89.99

\$89.99

OCCURATION OF THE PARTY OF THE





DUST COLLECTION
SEPARATOR with Elbow

K-1017 To maximize the cyclonic air flow in the drum

K-1007

K-1015

K-1017

4" ALUMINUM

**4" BLAST GATE** 

4" T-FITTING

4" Y-FITTING

4<sup>th</sup> ELBOW

4" SPLICE

ADAPTOR

KC-4045C

1º-6º UNIVERSAL

4" & 5" WIRE HOSE CLAMPS

**BLAST GATE** 



#### KING

#### **DUST COLLECTORS WITH 1 MICRON CANISTER FILTERS**

#### 1200 CFM DUST COLLECTOR WITH CANISTER FILTER KC-3109C/KDCF-3500 • Noise level reading at 36": 66-77 Db • Static pressure (inch of water): 9.5

- Dust port opening: 2 x 4" / 1 x 6"

# 2 HP 9 Amp. @ 220V KING KING

#### 2280 CFM DUST COLLECTOR

#### WITH CANISTER FILTER

KC-4045C/KDCF-3500

Noise level reading at 36": 75-85 Db

Static pressure (inch of water): 11.8

Dust port opening: 3 x 4" / 1 x 8"

- 3 HP 10 Amp. @ 220V KING KING

KING

#### **3 SPEED AIR CLEANERS**

#### WITH REMOTE CONTROLS

#### KAC-410

- .9 amp. motor
- 410 CFM
- Air capacity of 410 CFM
- 2 stage filtration, one disposable electrostatic 5 microns outer filter and 1 micron inner two pocket filter



#### KAC-1050

- 1/3 HP, 3 amp. motor
- Air suction capacity of 556, 702,1050 CFM



COMES WITH 3-SPEED REMOTE CONTROL

INCLUDED

Remote control

1050 CFM

# CYCLONE DUST COLLECTORS & ACCESSORIES

KING

#### KC-6150C

- Max. air suction capacity: 1,050 CFM
   Noise level reading at 36": 75 Db
   Static pressure (inch of water): 8.5

- Steel drum capacity:18 gallons
  Dust port opening: 2 x 4" / 1 x 6"
  Manual crank handle

for easy cleaning

1.5 HP (110V)

#### KC-6200C

INCLUDED

Remote

- Max. air suction capacity: 1,450 CFM Noise level reading at 36": 76 Db Static pressure (inch of water): 10.5

- for easy cleaning

# Steel drum capacity:28 gallons Dust port opening:2 x 4" / 1 x Manual crank handle

#### KC-6300C

INCLUDED

KING

- easy cleaning

3 HP (220V)



### **OPTIONAL** KDCB-61 \$19.99

KDCB-62 (Fits: KC-6200C) \$19.99

KDCB-63 \$29.99









П

## **WOOD LATHES**

locks into pos

# 10" x 16" WOOD LATHE \$399.99

- 6 speeds (480, 1270, 1960, 2730, 3327, 4023) RPM
- 1/2 HP motor





KW-100

KWL-1016C

KWL-1218VS

VARIABLE SPEED

#### 149X439VARIABLE SPEEDWOODLATHE WITH DIGITAL READOUT KWL-1443VS

INCLUDED **CAST IRON** STAND

\$849.99

TERRUPTION

BUILT-IN MOBILE BASE

- Spindle tachometer with digital readout
- Variable speed from 600 2,400 RPM
- Pivoting headstock turns 180°
- Quick release headstock, tailstock and tool rest assembly for easy adjustments
- Comes complete with 6" face plate, 12" tool rest with offset and base, MT#2 headstock and tailstock centres and adjustment wrenches

#### KPF-30V

- 1.2 amp. motor3 feed rollers3 1/8" roller diameter
- 1 3/16" roller widthVariable feed rate of 7-40 feet per minute

1.2 amp. Motor

#### KPF-32

- 2.5 amp. motor
- 3 feed rollers
- 3 1/8" roller diameter
- 1 3/16" roller width

2.5 amp Motor

KPF-34 6.2 amp. motor (220V)

KPF-34-5 2.7 amp. motor (550V)

- 3 feed rollers
- 4 3/4" roller diameter2 1/4" roller width

**62 cmp. Motor** (220V) **2.7 cmp. Motor** (550V)

### 12PDOVETAIL/JIG

- Handles materials from 5/16" to 1 1/4" thick, and widths up to 12"
- Unit includes 1/2" aluminum template





\$1799.

3/4" UNIVERSAL SHAPER CUTTERHEAD WITH 13 INTERCHANGEABLE **PROFILE CUTTERS** KW-091















#### AIR COMPRESSORS & ACCESSORIES ARCTIC FLEX **ULTRA-QUIET OIL-FREE** ULTRA-QUIET OIL-FREE 5.5 PEAK HP 20 GALLON PREMIUM HYBRID POLYMER AIR COMPRESSOR **AIR COMPRESSOR AIR COMPRESSOR** KC-2051H1 KC-1620A KC-4620A • Light weight aluminum • 3.80 CFM @ 40 PSI • Light weight aluminur • 3.80 CFM @ 40 PSI • 7.6 CFM @ 40 PSI • 2.35 CFM @ 90 PSI • 2.35 CFM @ 90 PSI 150 PSI (Working) 450 PSI (Burst) • 6.0 CFM @ 90 PSI • Extra long pump life of over 3000 hours • Extra long pump life of over 3000 hours ASME safety valve 2 cylinder cast iron single stage oil lubricated pump K-5058GH **\$39.99** 5/8" x 50 ft. K-10058GH \$69 5/8" x 100 ft. 2 HP (PEAK) (60 Decibels) 2 HP (PEAK) (60 Decibels) Extreme All-Weather Flexibility Kink resistant 4.6 GALLON 1.6 GALLON (2 X 2.3) **HYBRID POLYMER INDUSTRIAL AIR HOSES** All-Weather Flexibility (-40°C to 65°C) HYBRID POLYMER INDUSTRIAL AIR HOSES K-2514H | 25' x 1/4" | \$19.99 KING 250 X 3/6 K-2538H 25' x 3/8" \$26.99 ARCTIC FLE K-5014H 50' x 1/4" \$29.99 50' x 3/8" K-5038H \$39.99 K-10014H | 100' x 1/4" | **\$49.99** K-10038H | 100' x 3/8" | **\$59.99** 300 PSI MAXIMUM PRESSURE TIRE INFLATION GUN COMPRESSOR HIGH OUTPUT 6.5 PEAK HIGH OUTPUT 7.5 PEAK HP 80 OIL BOTTLE WITH PRESSURE GAUGE HP 60 GALLON AIR GALLON AIR COMPRESSOR KW-077 COMPRESSOR K-1630 KC-7180V1-MS (850ml) 15" flexible rubber hose with KC-5160V1 • High output 30 CFM @ 100 PSI lever style chuck, rubber • 150 PSI max pressure • 150 PSI max pressure protected 2-1/2" diameter STATIONARY 6.5 PEAK pressure gauge (pressure range of 10- 170 PSI) • 43 CFM @ 40 PSI • 22.6 CFM @ 40 PSI HP 60 GALLON AIR • 30 CFM @ 100 PSI • 18.5 CFM @ 100 PSI and a quick COMPRESSOR • Heavy-duty 1/2" ball value and easy to · High efficiency reed valves connect KC-6160V1 read tank pressure gauge 1/4" NPT • 150 PSI max pressure air inlet • 13.4 CFM @ 40 PSI 5.5 PEAK HP 24 GALLON • 11.2 CFM @ 90 PSI • High efficiency reed valves AIR COMPRESSOR KC-3124V1 • 150 PSI max pressure • 7.6 CFM @ 40 PSI • 6.0 CFM @ 90 PSI ASME safety valve KING KING 2 cylinder cast iron single stage oil lubricated pump 2 cylinder cast iron single stage oil lubricated pump 2 cylinder cast iron single stage oil lubricated pump 3 cylinder cast iron single stage oil lubricated pump



